



抖音



微信



facebook



YouTube

Shanghai Yuedu Technology Co., Ltd. (公司总部：上海越都科技有限公司)

The company's team has been focusing on large-scale shredding equipment (shredders) for many years, specializing, refining, and strengthening the shredding equipment. With a customer-oriented research and development production system, we deliver high-quality products and services to meet customer needs.



Contact Us(global english):

☎ (86) 159 0178 2779 (WhatsApp/ WeChat/ Facebook)

☎ (86) 137 6138 5116

Email1 : denghao8410@gmail.com

Search : yuedu Shredder

Search : yuedu Granulator

越都品牌介绍 发展历程



上海越都科技有限公司，品牌：YUEDU越都。公司团队多年来一直专注于大型粉碎设备（碎纸机），将粉碎设备做专、做精、做强，以客户需求为导向的研发生产体系，为客户交付高品质的产品和服务。



与我们联系(中文普通话):

☎ (86) 137 1700 3125

☎ (86) 138 1115 0898


☎ (86) 188 1682 6112

Email2 : 46920382@qq.com

搜索：越都粉碎机

Product Delivery Process 产品流程

Planning, Design, Manufacturing, Testing,
Debugging, Packaging, Shipping
规划、设计、制造、测试、调试、包装、发货



Shredding Equipment and Shredding Systems



Quality Assurance and Third-Party Certifications



Shanghai High-Tech Enterprise Certificate



Product Selection Tables:

- Table 1: Financial Document Shredding Solution
- Table 2: Large Office 220V Shredding Solution
- Table 3: Government/Confidential Bureau/Army Destruction Center Solution
- Table 4: Recycling Station Confidential Destruction Solution
- Table 5: Adhesive Labels, Tags, Film Shredding Solution
- Table 6: Strip Cutting and Section Shredding Solutions
- Table 7: YUEDU Brand Hard Drive Destruction Line
- Table 8: Card Shredder Solution
- Table S9a: Chinese Standard Level 1 Confidential Destruction Equipment (1*1mm powder) (EU Standard Level 7)
- Table S9b: Level 1 Confidential Office Shredder Solution (1mm powder)
- Table S9c1 and S9c2: 2mm Powder Effect | Large Office Shredding Solution
- Table SSJ1: YUEDU Small Shredder Selection Table

Destruction Target: Accounting **vouchers**, file **archives**, R&D **drawings**, bids, **books**

	Plan1: YD-FSJQL600	Plan2: YD-PSJ300	Plan3: YD-PSJ300ES	Plan4: YD-310CC	Plan5: YD-PSJ350	Plan6: YD-FSJQL Series	Plan7: YD-FSJPC300
Full Image							
Vouchers Entry Image							
Features	3cm thick vouchers, 8cm file archives, shred 500 sheets at once.	Sleek design, capable of shredding hard drives.	Shreds 1-2 tons per day, mobile with wheels, suitable for on-site destruction.	40-60 KG per hour no noise or dust, mobile with wheels.	Sleek design, suitable for government use, shreds 2-4 tons per day.	Noise and dust might be noticeable; destroy vouchers and bids without disassembly.	Higher noise and dust, slower speed, affordable.
Applicable Scenarios	thick financial vouchers and large quantities of bids and files.	Industry leaders, multinational companies, government, and military.	small business destruction, medium-sized enterprise destruction	Suitable for placement near office printers, where only 220V power is available.	Industry leader Multinational Pharmaceutical Records management	Companies with large spaces, where noise and dust are not a concern.	Users with lower budgets and available personnel.
YouTube	https://youtube.com/s_horts/OU1FHFkLCOQ https://youtube.com/s_horts/1z_4P8RSpu4	https://youtu.be/VhKA0DnCQ8Y https://youtu.be/Nbkyn_gZdv5s	https://youtu.be/qXa-g2bixio https://youtu.be/IUy2eLjN4c	https://youtu.be/pnUcw7MjxdI https://youtu.be/SwA5s6qFbHY	https://youtu.be/Udx2H5R6Ri4 https://youtu.be/263P0I0KHRO	https://youtube.com/shorts/H-WMN83-Ff8 https://youtube.com/shorts/zRCsD_4De4Y	https://youtu.be/tAQwK9ahj68 https://youtube.com/s_horts/3y56x8IUbaK


Selection Table 2: **Large office 220V shredding solution** (silent, beautiful, safe) v2024.9.24

User groups: government agencies, offices

Destruction: vouchers, drawings, archival documents, orders

	Plan 1:YD-23026C	Plan 2:YD-3120C	Plan 3:YD-310CC	Plan 4:YD-418CC	Plan 5:YD-330CC	Plan 6:YD-338CC26	Plan 7:YD-PSJ300(2P1.5K)
Entry Image							
Full Image							
Features	6,000 sheets per Hour	25-40 KG per hour	40-60 KG per hour	entrance 40CM, convenient for drawings	Auto-refueling, silent, double inlet	Auto-refueling, silent, double inlet	High horsepower, double inlet Fragile hard drives
Sheets	25	25	35	25-32	42-52	38-60	40-130
Entry width	24CM	31CM	31CM	41CM	33CM	33.8CM	Funnel Entry 50*38CM
Applicable Scenarios	Broken bank cards office	Large office	Enterprise Factory Chain government	Institute	Government departments, multinational corporations	Industry leader Multinational Government	Industry leader Multinational Pharmaceutical Records management
YouTube	https://youtu.be/1wFfDn51Yk https://youtu.be/s0kGUMf7BVs	https://youtu.be/U9MJ1mHHmIU	https://youtu.be/pnUcwZMxdI https://youtu.be/SwA5s6qFbhY	https://youtu.be/wGP2alVsmWk https://youtu.be/BWDK4yZyG_U	https://youtu.be/yrWEiYI2YOA	https://youtu.be/1EfhdA9yHHA https://youtu.be/5V-NGy5HUaM	https://youtu.be/VhKA0DnCO8Y https://youtu.be/IUy2eLjN4c
Typical users	Bank Law Firm	Tesa SE Innovia Security RBIS	FAW Toyota Volkswagen Foxconn	Alfa Laval Nippon Paint Canon	Heidelberg J&J GSK	3M Labels Panasonic Eli Lilly	Avery Dennison Merck Ford Motor

Selection Table 3: **Government / Military Destruction Center** v2024.9.24**– Budget Above \$10,000(Agent Ex-Factory Price)**

	Plan1: YD-PSJ300(3.7K)	Plan2: YD-PSJ350	Plan3: YD-PSJ500	Plan4: YD-468CC-HD	Plan5: YD-428ACC-HD	Plan6: YD-428130	Plan7: YD-500-HD
Entry Image							
Full Image							
Features	2 entries Hard Drives ok	Sleek design, Hard Drives ok	2 entries Hard Drives ok	2 entries Small shred size	Belt conveyor entry	Optional conveyor packing system	500 sheets conveyor packing
Shredded Size	10*50mm ¹	1*5CM	1*5CM	5.8*45mm	5.8*45mm	5.8*45mm	7.5*50mm
Sheets	70-200	90-180	200-300	130	60-100	100-130	300-500
Entry width	50*38CM 25CM	51*48CM 35CM	71*53CM 50CM	46CM 46CM	41CM	46CM	60CM
Applicable Scenarios	weekly several hours	Daily Shredding: 2-3 hours per day	Design Institute	Design Institute	small printing factories	Printing /Packaging	Government / Military
YouTube	https://youtu.be/VhKA0DnCQ8Y https://youtu.be/IU5y2eLjN4c	https://youtu.be/Udx2H5R6Ri4 https://youtu.be/263POIOKHRO	https://youtu.be/77udmJyKTsQ	https://youtu.be/0r-lzWgT_jQ https://youtu.be/ZVZToT1b44A	https://youtu.be/GB-Tz5ydTNY https://youtu.be/e43_cei74q8	https://youtu.be/JdwMAptwI6U https://youtu.be/ZRRyfX56ji4	https://youtu.be/y4S-BnY2jLE https://youtube.com/shorts/ckI2b5wgcl4

¹ Customized, e.g. 2 / 5 / 8 / 15 mm etc. It can be customized and developed according to special use needs. 粉碎尺寸可定制, 例如: 2/5/8/15mm 等; 可根据特殊的使用需求进行开发。






Target Users: Adhesive Manufacturers, **Printing** Plants, Card Manufacturers, **Garment** Factories

Destruction Media: 3M Tesa Avery Labels, Fabric Tags, Stickers, X-ray Films, Mobile Screens, and Screen Protectors

	Plan1: YD-3120C	Plan2: YD-310CC	Plan3: YD-PSJ300ES	Plan4: YD-PSJ300-2P-1.5KW	Plan5: YD-330CC	Plan6: YD-338CC26	Plan7: YD-PSJ350
Labels Entry Image							
Full Image							
Features	25-40 KG per hour	40-60 KG per hour	Affordable 1-2 tons per day	High horsepower, double inlet	Auto-refueling, silent	Auto-refueling, double inlet	Sleek design, day 2-4 tons
Sheets	25	35	60-120	40-130	42-52	38-60	90-180
Entry width	31CM	31CM	50CM	Funnel Entry 50*38CM	33CM	33.8CM	Funnel Entry 51*48CM
Typical users	Tesa SE Innovia Security RBIS	FAW Toyota Volkswagen Foxconn	SEW FAW Toyota SK Hynix	Avery Merck Ford Motor	Heidelberg J&J GSK	3M Labels Panasonic Eli Lilly	Henkel Donnelley Roche
YouTube	https://youtu.be/U9MJ1mHHmjU	https://youtu.be/5V-NGy5HUaM	https://youtu.be/YaDVwhNikdI	https://youtu.be/O-Vc5TL1fwQ	https://youtu.be/yrWEiYI2YOA	https://youtu.be/5V-NGy5HUaM	https://youtu.be/AQA-l6mYNu8

Selection Table 9: **Level 7 Confidential Destruction Equipment | 1*1mm Powder**

Applicable Scenarios: **Classified Destruction Center**, Centralized confidential destruction – v11

	Plan 1: YD-YTJ400BM1 YD-YTJ500BM1 YD-YTJ600BM1	Plan 2: YD-BM4001	Plan 3: YD-BM4002	Plan 4: YD-BM6001	Plan 5: YD-BM6002	Plan 6: YD-BM6002P	Plan 7: YD-BM9002 YD-BM9002P
Entry Image							
Full Machine Image							
Crushing efficiency¹	35 / 40 / 45KG/H Adjustable, see footnote 1 for details	100KG/H	60KG/H	50KG/H	80KG/H	80KG/H	150KG/H
Shredded Size²	1*1mm Adjustable, e.g. 2/5mm etc.	1*1mm	1*1mm	1*1mm	1*1mm	1*1mm	1*1mm
Sheets Shredded	100-300 sheets	300-500 sheets	200-300 sheets	300-500 sheets	300-500 sheets	300-500 sheets	300-500 sheets
Entry Size	40/ 50 / 60 CM	60CM	40CM	60CM	60CM	60CM	90CM
Applicable Scenarios	County-level units	Provincial and municipal units	Provincial and municipal	County-level	Provincial and municipal units	Provincial/Headquarters	Organizational Headquarters
YouTube	https://youtu.be/q9Duf_TdZI	https://youtu.be/RU7OpMikUoc	https://youtube.com/shorts/KMaiAuUli0s	https://youtu.be/i_cCRB-VJRw	https://youtu.be/v419WXU13oc	https://youtube.com/shorts/p3rOTUcy4Zg	https://youtube.com/shorts/p3rOTUcy4Zg
京东							

¹ It is the output of 1mm powder; The size of the crushing can be adjusted, and the crushing efficiency is related to the size of the crushing (the larger the size of the crushing, the greater the output of the discharge). For example, the grinding efficiency of 2 mm is about twice the grinding output of 1 mm. 表格中数字为 1mm 粉末状的产量; 粉碎的尺寸可以调整, 粉碎效率与粉碎的尺寸有关 (粉碎出来的尺寸越大, 出料产量也越大)。比如: 粉碎为 2mm 的粉碎效率, 约为 1mm 的粉碎产量的 2 倍。

² Adjustable, e.g. 2 / 5 / 8 / 15 mm etc. It can be customized and developed according to special use needs. 粉碎尺寸可调, 例如: 2/5/8/15mm 等; 可根据特殊的使用需求进行定制开发。

Attachment: Sample Display | 附件：样品展示

1mm powder - 1mm 粉末状



Compressed paper powder block - 纸粉压块



Compressed Money (RMB) block - 金钱（人民币）压块



越都品牌 小型撕碎机选型表v2

Yuedu Brand Small Twin Shaft Shredders Selection Table v2

	单电机 Single Motor					双电机 Dual Motor			
									
型号 Model	YD-SSJ300SK	YD-SSJ400SK	YD-SSJ400SK	YD-SSJ500SK	YD-SSJ600SK	YD-SSJ400DK	YD-SSJ400DK	YD-SSJ500DK	YD-SSJ600DK
电机 Motor	3KW-4, 1 unit	5.5KW-4,1 unit	5.5KW-4,1 unit	7.5KW-4,1 unit	7.5KW-4,1 unit	5.5KW-4, 2 unit	5.5KW-4, 2 unit	7.5KW-4,2 unit	7.5KW-4, 2 unit
减速机 Gearbox	k77,1 unit	K87,1 unit	K87,1 unit	K97,1 unit	K107,1 unit	K87,2 unit	K87,2 unit	K97,2 unit	K107,2 unit
刀片规格 Blade Spec.	Φ180*10	Φ180*15	Φ180*10	Φ200*20	Φ220*25	Φ180*15	Φ180*10	Φ200*20	Φ220*25
刀片数量 Blades Num.	29	27	40	24	24	27	40	24	24
料斗尺寸 Hopper Size	500*500*300	500*600*300	500*600*300	600*700*400	700*800*500	500*600*300	500*600*300	600*700*400	700*800*500
整机(LWH) Dimensions	1100*650*1350	1250*650*1450	1250*650*1450	1400*750*1600	1600*900*1750	1600*650*1450	1600*650*1450	1900*750*1600	2100*750*1800

*此目录中的产品规格仅供参考。工厂会不定期调整产品参数。我们接受根据客户需求进行机型改动。实际规格以双方在出货时确认的最终交付标准为准。

*The product specifications listed in this catalog are for reference only. Our factory periodically adjusts product parameters. We accept modifications to the machine models based on customer requirements. The actual specifications will be confirmed and agreed upon by both parties at the time of delivery.